baby&child

RESTORATION HARDWARE

All Restoration Hardware cribs are designed to meet the highest safety standards and comply with all U.S. and Canadian cribs and cradles regulations.

Assembly Instructions For Crib

baby&child

RESTORATION HARDWARE

Restoration Hardware Baby & Child
11640 Harrel St,Suite B
Mira Loma,CA91752
www.rhbabyandchild.com
Made in Vietnam

Model No: 101830 AGWH
"Antique Spindle Crib Toddler Rail"



Distributed in the U.S.A. by:
Restoration Hardware Baby & Child
11640 Harrel St,Suite B
Mira Loma,CA91752
www.rhbabyandchild.com

Distributed in Canada by:
Restoration Hardware Canada, Inc.
1500-1055 West Georgia Street,
Vancouver, British Columbia V6E 4N7

⚠ WARNING: Read all instructions before assembling this product. **KEEP INSTRUCTIONS FOR FUTURE USE.**

CUSTOMER SERVICE

If you are missing parts or have any questions about this product, contact us first. You can also order parts by writing to the address above. Include the product model number, color, and a brief description of the part. Call 1-800-762-1751

CARE AND CLEANING

DO NOT scratch or chip the finish. **DO NOT** use abrasive chemicals for cleaning. Clean with mild soap on a soft rag. Rinse and dry thoroughly. If the crib is to be stored, store in a cool dry place and carefully package all original hardware to protect from loss.

TOOLS AND INSTALLATION

Tools Necessary: Allen Key (included).
Flathead Screwdriver (not included).
Phillips Screwdriver (not included).
Note: It may be easier to assemble product with two people.

NOTE: When inserting bolts, turn clockwise until tight. Then loosen 1/2-3/4 of a turn. After crib is completely assembled, return to each bolt and tighten. Use wax or soap on all bolts to facilitate assembly.

IMPORTANT SAFETY INFORMATION FOR TODDLER & DAY BEDS

⚠WARNING: ENTRAPMENT/STRANGULATION HAZARD

Infants have died in toddler beds from entrapment and strangulation. Failure to follow these warnings and the assembly instructions could result in serious injury or death.
NEVER use bed with children under 15 months.
NEVER place bed near windows where cords from blinds or drapes may strangle a child.

- The mattress intended for use on the bed shall be a full-size crib mattress having minimum dimensions of 51-5/8 in. (1310 mm) in length, 27-1/4 in. (690 mm) in width and 4 in. (100 mm) in thickness, not exceeding 6 in. (152 mm) in thickness.
- If guardrails are used as the mattress containment means, guardrail(s) provided must be used to avoid the formation of a gap between the mattress and the bed that could cause an entrapment.
- **DO NOT** place bed near windows where cords from blinds or drapes may strangle a child.
- **DO NOT** place items with a string, cord, or ribbon around a child's neck, such as hood strings or pacifier cords.
- **DO NOT** suspend strings over a toddler bed for any reason.
- A child using the toddler or day bed shall be at least 15 months of age and shall not weigh more than 50 lbs. (22.7 kgs.).

WARNING:Follow all warnings on products in a crib

ANTIQUE SPINDLE CRIB TODDLER BED CONVERSION KIT

WARNING: ADULT ASSEMBLY ONLY OWING TO THE PRESENCE OF SMALL PARTS, SHARP POINTS AND EDGES

CAUTION

TODDLER BED : THE MINIMUM AGE SHALL NOT BE LESS THAN 15 MONTHS AND THE MAXIMUM WEIGHT SHALL NOT BE GREATER THAN 50 LBS. (22.7 KG).

THE MATTRESS INTENDED FOR USE ON THE BED SHALL BE A FULL-SIZE CRIB MATTRESS HAVING MINIMUM DIMENSIONS OF 51-5/8 IN. (1310 MM) IN LENGTH, 27-1/4 IN. (690 MM) IN WIDTH AND 4 IN. (100 MM) IN THICKNESS, NOT EXCEEDING 6 IN (152 MM) IN THICKNESS.

CARE INSTRUCTIONS:

- Dust often using a clean, soft, dry, lint-free cloth.
- Blot spills immediately, and wipe with a clean, damp cloth.
- We do not recommend the use of chemical cleansers, abrasives, or furniture polish on our lacquered finish.

Customer Service

- If you are missing parts or have any questions about this product, please contact us at : 1-800-762-1751

PART LIST

A [2] SIDE FRAMES

B [2] TODDLER RAILS

C [1] MATTRESS SUPPORT

HARDWARE

D [1] ALLEN WRENCH

E [4] BOLT 19mm



Please note: Toddler conversion kit assembly hardware is included in the toddler kit pack box.

ASSEMBLY INSTRUCTIONS

Loosen all tightened bolts from side frames. Spread front of crib open enough to remove stationary side rails.





Insert shorter 19mm bolts (x 4pcs,E) into holes on the upper side frames (see Detail B).

If mattress support is not in the lowest position, unscrew mattress support bolts and move it to the lowest position.



Attach Toddler Rail (B) to side frames (A) by hooking into provided slot while aligning stretcher bar.Retighten all bolts to snug fit.