
baby&child

RESTORATION HARDWARE hayes upholstered platform bed

PART LIST

- A [1] Headboard
- B [2] Side rail
- C [1] Footboard
- D [1] Slat Roll
- E [1] Center Support Slat
- F [1] Center Support Slat Foot (with adjustable glide)



Tools needed & provided

No.	HARDWARE & PARTS ENCLOSED		Qty
1	(CONT. DATE OF CONT. DATE OF C	Threaded Rod	8 pieces
2	Ø	Curved Washer	8 pieces
3	@	Lock Washer	8 pieces
4	©	Nut	8 pieces
5	<u></u>	Wrench	1 pieces
6		Long Screw (5cm)	2 pieces
7		Short Screw (3cm)	20 pieces
*** The hardware is packed with the Headboard			

TOOLS NEEDED:

Phillips Screwdriver (Not included)


ASSEMBLY INSTRUCTION

Note:

- Bed must be assembled by at least two people.
- Please read instructions carefully before assembling bed.
- Use the above parts and fittings list to identify each component.
- Keep all packing materials until assembly is complete to avoid loss of smaller parts.


STEP 1:

- 1. Place Headboard (A) flat on the floor covered with a protective material to prevent damage;
- 2. Stand the Headboard (A) upright and Locate Side Rail (B) as shown in Diagram I;
- 3. Insert the Threaded Rods (1) into the holes on the end of Side Rail (B), and insert Curved Washers (2), Lock Washers (3), Nuts (4) onto the Threaded Rods (1) to attach the Headboard (A) and Side Rail (B) as shown in the Diagram I;
- 4. Tighten the Nuts (4) & Threaded Rods (1) with Wrench (5) as shown in the Diagram I;
- 5. Repeat the procedure to attach the Footboard (C).



STEP 2:

- 1. Attach the Cross support Foot (F) to the Center Support Slat (E) as shown in the Diagram II;
- 2. Insert the Center Support Slat (E) into the "U" shaped wood blocks on Headboard(A) and Footboard(C), and tighten with Long Screw (6);
- 3. Place the Slat Roll (D) on the cleats on the inside of Side Rails (A), and tighten the ends of the slats to the cleats with Short Screw (7), as shown in Diagram IV.



Thank you for your purchase www.rhbaby & child.com
Page 3 of 3